




H SS GROUP



WHO IS HESS GROUP?

HESS GROUP WORLDWIDE



VISION

Product
Each of our products is developed specifically according to our customers'

Team

MISSION

blocks and pavers efficiently. The following four factors are paramount:

Customers

Individual Action

VALUES

As an innovative manufacturer of high-quality concrete block and paver plants, we – together with our customers – ensure our mutual market leadership.



Quality




Innovation

refinement options, we ensure the long-term viability of





Customer Focus
In partnership with our customers, we fulfil individual












WE PUT CONCRETE INTO SHAPE.

CONCRETE BLOCK AND PAVER MACHINE

RH 2000-4



THE LEADER AMONG CONCRETE BLOCK AND PAVER MACHINES


perience. It offers an easy operation, maximum eff cien

in its fourth generation: the RH 2000-4.


TECHNICAL DATA

	Standard	Large

Production output is calculated based on 85 percent machine availability and is signi f cantly influenced by machine settings, the concrete mixing recipe used.




High-performance hydraulics in MLC+H version



MLC+H control with 4 cylinders (optional)

MLC+H CONTROL

-
-
-
-
-
- Larger cylinders for faster and more precise positioning of the filler boxes.
-
-
-
-


RM799












WE PUT CONCRETE INTO SHAPE.

CONCRETE BLOCK AND PAVER MACHINE

RH 1500-4



RH 1500-4 VA TECHNICAL DATA

RH 1500-4





-
- The scraper frame in the front area of the filler box is replaced by a
- Both filler boxes (base and face concrete) are equipped with pneumatic

▶

▶


▶ Improved cycle time by eliminating reversing during face concrete filling.
▶ Significantly closed product surface.
▶
▶

▶

See video for explanation




Model oil bath vibrator

















TECHNICAL OVERVIEW CONCRETE BLOCK AND PAVER MACHINES

		RH 500	RH 600	RH 1450	RH 1500 VA	RH 2000 M-Version – standard production area	RH 2000 M-Version – large production area



Visualization of mold and tamper head control





CONTROL


The intuitive user interface with icons simplifes operation. Complicated inputs are elimi


PIMS

PIMS can be used for optimized plant utilization and effcient personnel planning for











COMPLETE PLANTS

COMPLETE PLANTS



COMPLETE PLANTS














WE PUT CONCRETE INTO SHAPE.

SPECIAL PLANTS


BATCHING AND MIXING PLANTS, CONVEYING TECHNOLOGY AND HANDLING




BATCHING AND MIXING PLANTS



Interior view of mixer with material



Interior view of mixer





Color-Mix dosing belts


cleanxingeffpor duer t speciag wnte -suply




Face concrete mixer SM 500








Ejection station



Cuber

hensive quality control on the wet side. Advantage: Production continues uninterrupted




Lowerator with bypass



Finger cart system load capacities (8.5t, 14t, 24t)

chamber capacity with a customer-specifc storey confguration.



Buffer rack


Increases the effciency of the linked system and can be



Transfer unit for board or sheet packages



Finger cart system for board or steel pallet packages









END PRODUCTS





